

Math 1553 Worksheet: Lines and planes in \mathbb{R}^n and §1.1

Solutions

1. Which of the following equations are linear? Justify your answers.

a) $3x_1 + \sqrt{x_2} = 4$

b) $x_1 = x_2 - x_3 + 10x_4$.

c) $\pi x + \ln(13)y + z = \sqrt[3]{2}$

Solution.

a) No. The $\sqrt{x_2}$ term makes it non-linear.

b) Yes.

c) Yes. The $\sqrt[3]{2}$ term is just a constant. Don't be misled by the appearance of the natural logarithm: $\ln(13)$ is just the coefficient for y .

If the second term had been $\ln(13y)$ instead of $\ln(13)y$, then y would have been inside the logarithm and the equation would have been non-linear.

2. Find all values of h so that the lines $x + hy = -5$ and $2x - 8y = 6$ do *not* intersect.

Solution.

We can use basic algebra, row operations, or geometric intuition.

Using basic algebra: Let's see what happens when the lines *do* intersect. In that case, there is a point (x, y) where

$$\begin{aligned}x + hy &= -5 \\2x - 8y &= 6.\end{aligned}$$

Subtracting twice the first equation from the second equation gives us

$$\begin{aligned}x + \quad \quad \quad hy &= -5 \\(-8 - 2h)y &= 16.\end{aligned}$$

If $-8 - 2h = 0$ (so $h = -4$), then the second line is $0 \cdot y = 16$, which is impossible. In other words, if $h = -4$ then we cannot find a solution to the system of two equations, so the two lines *do not* intersect.

On the other hand, if $h \neq -4$, then we can solve for y above:

$$(-8 - 2h)y = 16 \quad y = \frac{16}{-8 - 2h} \quad y = \frac{8}{-4 - h}.$$

We can now substitute this value of y into the first equation to find x :

$$x + hy = -5 \quad x + h \cdot \frac{8}{-4 - h} = -5 \quad x = -5 - \frac{8h}{-4 - h}.$$

Therefore, the lines fail to intersect if and only if $\boxed{h = -4}$.

Using row operations: Like the previous technique, let's see what happens if the lines intersect. We put the equations into augmented matrix form and use row operations.

$$\left(\begin{array}{cc|c} 1 & h & -5 \\ 2 & -8 & 6 \end{array} \right) \xrightarrow{R_2 = R_2 - 2R_1} \left(\begin{array}{cc|c} 1 & h & -5 \\ 0 & -8-2h & 16 \end{array} \right).$$

If $-8 - 2h = 0$ (so $h = -4$), then the second equation is $0 = 16$, so our system has no solutions. In other words, the lines do not intersect.

If $h \neq -4$, then the second equation is $(-8 - 2h)y = 16$, so

$$y = \frac{16}{-8-2h} = \frac{8}{-4-h} \quad \text{and} \quad x = -5 - hy = -5 - \frac{8h}{-4-h},$$


and the lines intersect at (x, y) . Therefore, our answer is $h = -4$.

Using intuition from geometry in \mathbf{R}^2 : Two non-identical lines in \mathbf{R}^2 intersect if and only if they are not parallel. The second line is $y = \frac{1}{4}x - \frac{3}{4}$, so its slope is $\frac{1}{4}$. If $h \neq 0$, then the first line is $y = -\frac{1}{h}x - \frac{5}{h}$, so the lines are parallel when $-\frac{1}{h} = \frac{1}{4}$, which means $h = -4$. You can check the lines aren't identical that when $h = -4$. (And if $h = 0$ then the first line is vertical, so it isn't parallel to the second).


3. For each of the following, answer true or false. Justify your answer.
- Every system of linear equations has at least one solution.
 - There is a system of linear equations that has exactly 5 solutions.
 - If a , b , and c are real numbers, then the equation $ax + by = c$ for (x, y, z) in \mathbf{R}^3 describes a line.

Solution.

- False. Some examples from class and this worksheet have no solutions.
- False. There are only three possibilities: no solutions, exactly one solution, or infinitely many solutions.
- False. For example, in \mathbf{R}^3 , the equation $x + y = 1$ corresponds geometrically to a vertical plane. We could write the plane in parametric form as $(t, 1 - t, z)$ where t and z vary among all real numbers.



4. The picture below represents the temperatures at the nodes of a mesh.



Let T_1, \dots, T_4 be the temperatures at the interior nodes. Suppose that the temperature at each node is the average of the four nearest nodes. For example,

$$T_1 = \frac{10 + 20 + T_2 + T_4}{4}.$$

- a) Write a system of four linear equations whose solution would give the temperatures T_1, \dots, T_4 .
- b) Write an augmented matrix that represents that system of equations.

Solution.

(a) The first equation was given. The others are

$$\begin{aligned} T_2 &= \frac{T_1 + 20 + 40 + T_3}{4}, & \text{or} & \quad -T_1 + 4T_2 - T_3 = 60 \\ T_3 &= \frac{T_4 + T_2 + 40 + 30}{4}, & \text{or} & \quad -T_2 + 4T_3 - T_4 = 70 \\ T_4 &= \frac{10 + T_1 + T_3 + 30}{4}, & \text{or} & \quad -T_1 - T_3 + 4T_4 = 40 \end{aligned}$$

(b) To put this in matrix form, we rearrange the above equations:

$$\begin{aligned} 4T_1 - T_2 - T_4 &= 30 \\ -T_1 + 4T_2 - T_3 &= 60 \\ -T_2 + 4T_3 - T_4 &= 70 \\ -T_1 - T_3 + 4T_4 &= 40 \end{aligned}$$

This gives the augmented matrix

$$\left(\begin{array}{cccc|c} 4 & -1 & 0 & -1 & 30 \\ -1 & 4 & -1 & 0 & 60 \\ 0 & -1 & 4 & -1 & 70 \\ -1 & 0 & -1 & 4 & 40 \end{array} \right)$$

5. Consider the following three planes, where we use (x, y, z) to denote points in \mathbf{R}^3 :

$$\begin{aligned} 2x + 4y + 4z &= 1 \\ 2x + 5y + 2z &= -1 \\ y + 3z &= 8. \end{aligned}$$

Do all three of the planes intersect? If so, do they intersect at a single point, a line, or a plane?

Solution.

We can isolate z in the third equation using algebra, but it is probably best to do using an augmented matrix and elementary row operations.

$$\begin{aligned} \left(\begin{array}{ccc|c} 2 & 4 & 4 & 1 \\ 2 & 5 & 2 & -1 \\ 0 & 1 & 3 & 8 \end{array} \right) & \xrightarrow{R_2 = R_2 - R_1} \left(\begin{array}{ccc|c} 2 & 4 & 4 & 1 \\ 0 & 1 & -2 & -2 \\ 0 & 1 & 3 & 8 \end{array} \right) \\ & \xrightarrow{R_3 = R_3 - R_2} \left(\begin{array}{ccc|c} 2 & 4 & 4 & 1 \\ 0 & 1 & -2 & -2 \\ 0 & 0 & 5 & 10 \end{array} \right) \end{aligned}$$

The last line corresponds to the equation $5z = 10$, so $z = 2$. Since we don't have much practice with row-reduction, we will use substitution to finish.

The second equation is $y - 2z = -2$, so $y - 2(2) = -2$, thus $y = 2$. The first equation is $2x + 4(2) + 4(2) = 1$, so $2x = -15$, thus $x = -15/2$. We have found that the planes intersect at the point

$$\left(-\frac{15}{2}, 2, 2 \right).$$