

# Announcements

Wednesday, August 22

- ▶ Everything you'll need to know is on the master website:

<http://people.math.gatech.edu/~cjankowski3/18f/m1553/webpage/>

or on the website for this section:

<http://people.math.gatech.edu/~jrabinoff/1819F-1553/>

(There are links on Canvas.) **Read them! Bookmark them!** Chances are, all your (non-math) questions are answered there.

- ▶ Warmup assignment is due on Friday at 11:59pm on WeBWork.
- ▶ Enroll in Piazza (the link is on Canvas). You can ask questions there, and we will use it for in-class polling on a daily basis. **Please use your Canvas email address to enroll**, so that your poll responses show up in the Canvas gradebook.
- ▶ It's probably easiest to respond to polls using a smartphone. Download the Piazza app.
- ▶ My office is Skiles 244 and Rabinoffice hours are: Mondays, 12–1pm; Wednesdays, 1–3pm.
- ▶ Your TAs have office hours too. You can go to any of them. Details on the website.

# Chapter 2

Systems of Linear Equations: Algebra

# Section 2.1

## Systems of Linear Equations

## Line, Plane, Space, ...

Recall that  $\mathbf{R}$  denotes the collection of all real numbers, i.e. the number line. It contains numbers like  $0, -1, \pi, \frac{3}{2}, \dots$


### Definition

Let  $n$  be a positive whole number. We define

$$\mathbf{R}^n = \text{all ordered } n\text{-tuples of real numbers } (x_1, x_2, x_3, \dots, x_n).$$

### Example

When  $n = 1$ , we just get  $\mathbf{R}$  back:  $\mathbf{R}^1 = \mathbf{R}$ . Geometrically, this is the *number line*.




# Line, Plane, Space, ...

Continued

## Example

When  $n = 2$ , we can think of  $\mathbf{R}^2$  as the *plane*. This is because every point on the plane can be represented by an ordered pair of real numbers, namely, its  $x$ - and  $y$ -coordinates.




# Line, Plane, Space, ...

Continued

## Example

When  $n = 3$ , we can think of  $\mathbf{R}^3$  as the *space* we (appear to) live in. This is because every point in space can be represented by an ordered triple of real numbers, namely, its  $x$ -,  $y$ -, and  $z$ -coordinates.



# Line, Plane, Space, ...

Continued

So what is  $\mathbf{R}^4$ ? or  $\mathbf{R}^5$ ? or  $\mathbf{R}^n$ ?

...go back to the *definition*: ordered  $n$ -tuples of real numbers

$$(x_1, x_2, x_3, \dots, x_n).$$

They're still “geometric” spaces, in the sense that our intuition for  $\mathbf{R}^2$  and  $\mathbf{R}^3$  sometimes extends to  $\mathbf{R}^n$ , but they're harder to visualize.


We'll make definitions and state theorems that apply to any  $\mathbf{R}^n$ , but we'll only draw pictures for  $\mathbf{R}^2$  and  $\mathbf{R}^3$ .

The power of using these spaces is the ability to use elements of  $\mathbf{R}^n$  to *label* various objects of interest, like solutions to systems of equations.

# Labeling with $\mathbf{R}^n$

## Example

All colors you can see can be described by three quantities: the amount of red, green, and blue light in that color. Therefore, we can use the elements of  $\mathbf{R}^3$  to *label* all colors: the point  $(.2, .4, .9)$  labels the color with 20% red, 40% green, and 90% blue.






# Labeling with $\mathbf{R}^n$

## Example

Last time we could have used  $\mathbf{R}^4$  to *label* the amount of traffic  $(x, y, z, w)$  passing through four streets.




For instance the point  $(100, 20, 30, 150)$  corresponds to a situation where 100 cars per hour drive on road  $x$ , 20 cars per hour drive on road  $y$ , etc.

# One Linear Equation

What does the solution set of a linear equation look like?


$x + y = 1 \rightsquigarrow$  a line in the plane:  $y = 1 - x$   
This is called the **implicit equation** of the line.



We can write the same line in **parametric form** in  $\mathbf{R}^2$ :

$$(x, y) = (t, 1 - t) \quad t \text{ in } \mathbf{R}.$$

This means that every point on the line has the form  $(t, 1 - t)$  for some real number  $t$ . Note we are using  $\mathbf{R}$  to *label* the points on a line in  $\mathbf{R}^2$ .



## Aside


What is a line? A ray that is *straight* and infinite in both directions.

# One Linear Equation

Continued

What does the solution set of a linear equation look like?

$x + y + z = 1$   $\rightsquigarrow$  a plane in space:  
This is the **implicit equation** of the plane.



[interactive]

Does this plane have a **parametric form**?

$$(x, y, z) = (t, w, 1 - t - w) \quad t, w \text{ in } \mathbf{R}.$$

Note we are using  $\mathbf{R}^2$  to *label* the points on a plane in  $\mathbf{R}^3$ .

Aside

What is a plane? A flat sheet of paper that's infinite in all directions.

# One Linear Equation

Continued

What does the solution set of a linear equation look like?

$x + y + z + w = 1 \rightsquigarrow$  a “3-plane” in “4-space”... [not pictured here]

## Poll


Everybody get out your gadgets!

# Systems of Linear Equations

What does the solution set of a *system* of more than one linear equation look like?

$$x - 3y = -3$$

$$2x + y = 8$$



In general it's an intersection of lines, planes, etc.


[two planes intersecting]

## Kinds of Solution Sets

In what other ways can two lines intersect?

$$x - 3y = -3$$

$$x - 3y = 3$$




A system of equations with no solutions is called **inconsistent**.

## Kinds of Solution Sets

In what other ways can two lines intersect?

$$\begin{aligned}x - 3y &= -3 \\ 2x - 6y &= -6\end{aligned}$$



Note that multiplying an equation by a nonzero number gives the *same solution set*. In other words, they are *equivalent* (systems of) equations.



## Poll

What about in three variables?

# Summary

- ▶  $\mathbf{R}^n$  is the set of ordered lists of  $n$  numbers.
- ▶  $\mathbf{R}^n$  can be used to label geometric objects, like  $\mathbf{R}^2$  can label points on a plane.
- ▶ The solutions of a system equations look like an intersection of lines, planes, etc.
- ▶ Finding all the solutions of a system of equations means finding a **parametric form**: a labeling by some  $\mathbf{R}^n$ .