

Announcements

Wednesday, October 31

- ▶ WeBWork on determinants due today at 11:59pm.
- ▶ The quiz on Friday covers §§5.1, 5.2, 5.3.
- ▶ My office is Skiles 244 and Rabinoffice hours are: Mondays, 12–1pm; Wednesdays, 1–3pm.

Eigenvectors and Eigenvalues

Reminder

Definition

Let A be an $n \times n$ matrix.

1. An **eigenvector** of A is a nonzero vector v in \mathbf{R}^n such that $Av = \lambda v$, for some λ in \mathbf{R} .
2. An **eigenvalue** of A is a number λ in \mathbf{R} such that the equation $Av = \lambda v$ has a nontrivial solution.
3. If λ is an eigenvalue of A , the λ -**eigenspace** is the solution set of $(A - \lambda I_n)x = 0$.


Eigenspaces

Geometry

Eigenvectors, geometrically

An eigenvector of a matrix A is a nonzero vector v such that:

- ▶ Av is a multiple of v , which means
- ▶ Av is collinear with v , which means
- ▶ Av and v are *on the same line through the origin*.



v is an eigenvector


w is not an eigenvector

Eigenspaces

Geometry; example

Let $T: \mathbf{R}^2 \rightarrow \mathbf{R}^2$ be reflection over the line L defined by $y = -x$, and let A be the matrix for T .

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors
(vectors that don't move off their line)?

v is an eigenvector with eigenvalue -1 .


[interactive]

Eigenspaces

Geometry; example

Let $T: \mathbb{R}^2 \rightarrow \mathbb{R}^2$ be reflection over the line L defined by $y = -x$, and let A be the matrix for T .

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors
(vectors that don't move off their line)?

w is an eigenvector with eigenvalue 1.


[interactive]

Eigenspaces

Geometry; example

Let $T: \mathbb{R}^2 \rightarrow \mathbb{R}^2$ be reflection over the line L defined by $y = -x$, and let A be the matrix for T .

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors
(vectors that don't move off their line)?

u is *not* an eigenvector.


[interactive]

Eigenspaces

Geometry; example

Let $T: \mathbf{R}^2 \rightarrow \mathbf{R}^2$ be reflection over the line L defined by $y = -x$, and let A be the matrix for T .

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors
(vectors that don't move off their line)?

Neither is z .


[interactive]

Eigenspaces

Geometry; example

Let $T: \mathbf{R}^2 \rightarrow \mathbf{R}^2$ be reflection over the line L defined by $y = -x$, and let A be the matrix for T .

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors
(vectors that don't move off their line)?

The 1-eigenspace is L
(all the vectors x where $Ax = x$).


[interactive]

Eigenspaces

Geometry; example

Let $T: \mathbb{R}^2 \rightarrow \mathbb{R}^2$ be reflection over the line L defined by $y = -x$, and let A be the matrix for T .

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors (vectors that don't move off their line)?

The (-1) -eigenspace is **the line $y = x$** (all the vectors x where $Ax = -x$).


[interactive]

Eigenspaces

Geometry; example

Let $T: \mathbb{R}^2 \rightarrow \mathbb{R}^2$ be the vertical projection onto the x -axis, and let A be the matrix for T .

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors (vectors that don't move off their line)?

v is an eigenvector with eigenvalue 0.


[interactive]

Eigenspaces

Geometry; example

Let $T: \mathbb{R}^2 \rightarrow \mathbb{R}^2$ be the vertical projection onto the x -axis, and let A be the matrix for T .

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors
(vectors that don't move off their line)?

w is an eigenvector with eigenvalue 1.


[interactive]

Eigenspaces

Geometry; example

Let $T: \mathbb{R}^2 \rightarrow \mathbb{R}^2$ be the vertical projection onto the x -axis, and let A be the matrix for T .

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors
(vectors that don't move off their line)?

u is *not* an eigenvector.


[interactive]

Eigenspaces

Geometry; example

Let $T: \mathbb{R}^2 \rightarrow \mathbb{R}^2$ be the vertical projection onto the x -axis, and let A be the matrix for T .

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors
(vectors that don't move off their line)?

Neither is z .


[interactive]

Eigenspaces

Geometry; example

Let $T: \mathbb{R}^2 \rightarrow \mathbb{R}^2$ be the vertical projection onto the x -axis, and let A be the matrix for T .

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors
(vectors that don't move off their line)?

The 1-eigenspace is **the x -axis**
(all the vectors x where $Ax = x$).


[interactive]

Eigenspaces

Geometry; example

Let $T: \mathbb{R}^2 \rightarrow \mathbb{R}^2$ be the vertical projection onto the x -axis, and let A be the matrix for T .

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors
(vectors that don't move off their line)?

The 0-eigenspace is **the y -axis**
(all the vectors x where $Ax = 0x$).

[interactive]

Eigenspaces


Geometry; example

Let

$$A = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix},$$

so $T(x) = Ax$ is a shear in the x -direction.

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors (vectors that don't move off their line)?

Vectors v above the x -axis are moved right but not up...
so they're not eigenvectors.

[interactive]

Eigenspaces


Geometry; example

Let

$$A = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix},$$

so $T(x) = Ax$ is a shear in the x -direction.

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors
(vectors that don't move off their line)?

Vectors w below the x -axis are moved
left but not down...
so they're not eigenvectors

[interactive]

Eigenspaces


Geometry; example

Let

$$A = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix},$$

so $T(x) = Ax$ is a shear in the x -direction.

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors
(vectors that don't move off their line)?

u is an eigenvector with eigenvalue 1.

[interactive]

Eigenspaces


Geometry; example

Let

$$A = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix},$$

so $T(x) = Ax$ is a shear in the x -direction.

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors
(vectors that don't move off their line)?

The 1-eigenspace is **the x-axis**
(all the vectors x where $Ax = x$).

[interactive]

Eigenspaces


Geometry; example

Let

$$A = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix},$$

so $T(x) = Ax$ is a shear in the x -direction.

Question: What are the eigenvalues and eigenspaces of A ? No computations!



Does anyone see any eigenvectors
(vectors that don't move off their line)?

There are no other eigenvectors.

[interactive]

Section 6.2

The Characteristic Polynomial

The Characteristic Polynomial

Let A be a square matrix.

$$\begin{aligned}\lambda \text{ is an eigenvalue of } A &\iff Ax = \lambda x \text{ has a nontrivial solution} \\ &\iff (A - \lambda I)x = 0 \text{ has a nontrivial solution} \\ &\iff A - \lambda I \text{ is not invertible} \\ &\iff \det(A - \lambda I) = 0.\end{aligned}$$

This gives us a way to compute the eigenvalues of A .

Definition

Let A be a square matrix. The **characteristic polynomial** of A is

$$f(\lambda) = \det(A - \lambda I).$$

The **characteristic equation** of A is the equation

$$f(\lambda) = \det(A - \lambda I) = 0.$$

Important

The eigenvalues of A are the roots of the characteristic polynomial $f(\lambda) = \det(A - \lambda I)$.

The Characteristic Polynomial

Example

Question: What are the eigenvalues of

$$A = \begin{pmatrix} 5 & 2 \\ 2 & 1 \end{pmatrix}?$$

The Characteristic Polynomial

Example

Question: What is the characteristic polynomial of

$$A = \begin{pmatrix} a & b \\ c & d \end{pmatrix}?$$

What do you notice about $f(\lambda)$?

- ▶ The constant term is $\det(A)$, which is zero if and only if $\lambda = 0$ is a root.
- ▶ The linear term $-(a + d)$ is the negative of the sum of the diagonal entries of A .

Definition

The **trace** of a square matrix A is $\text{Tr}(A) = \text{sum of the diagonal entries of } A$.

Shortcut

The characteristic polynomial of a 2×2 matrix A is

$$f(\lambda) = \lambda^2 - \text{Tr}(A)\lambda + \det(A).$$

The Characteristic Polynomial

Example

Question: What are the eigenvalues of the rabbit population matrix

$$A = \begin{pmatrix} 0 & 6 & 8 \\ \frac{1}{2} & 0 & 0 \\ 0 & \frac{1}{2} & 0 \end{pmatrix}?$$

Algebraic Multiplicity

Definition

The **(algebraic) multiplicity** of an eigenvalue λ is its multiplicity as a root of the characteristic polynomial.

This is not a very interesting notion *yet*. It will become interesting when we also define *geometric* multiplicity later.

Example

In the rabbit population matrix, $f(\lambda) = -(\lambda - 2)(\lambda + 1)^2$, so the algebraic multiplicity of the eigenvalue 2 is 1, and the algebraic multiplicity of the eigenvalue -1 is 2.

Example

In the matrix $\begin{pmatrix} 5 & 2 \\ 2 & 1 \end{pmatrix}$, $f(\lambda) = (\lambda - (3 - 2\sqrt{2}))(\lambda - (3 + 2\sqrt{2}))$, so the algebraic multiplicity of $3 + 2\sqrt{2}$ is 1, and the algebraic multiplicity of $3 - 2\sqrt{2}$ is 1.

The Characteristic Polynomial

Poll

Fact: If A is an $n \times n$ matrix, the characteristic polynomial

$$f(\lambda) = \det(A - \lambda I)$$

turns out to be a polynomial of degree n , and its roots are the eigenvalues of A :

$$f(\lambda) = (-1)^n \lambda^n + a_{n-1} \lambda^{n-1} + a_{n-2} \lambda^{n-2} + \cdots + a_1 \lambda + a_0.$$

Factoring the Characteristic Polynomial

It's easy to factor quadratic polynomials:

$$x^2 + bx + c = 0 \implies x = \frac{-b \pm \sqrt{b^2 - 4c}}{2}.$$

It's less easy to factor cubics, quartics, and so on:

$$x^3 + bx^2 + cx + d = 0 \implies x = ???$$

$$x^4 + bx^3 + cx^2 + dx + e = 0 \implies x = ???$$

Read about factoring polynomials by hand in §6.2.

Summary

We did two different things today.

First we talked about the geometry of eigenvalues and eigenvectors:

- ▶ Eigenvectors are vectors v such that v and Av are on the same line through the origin.
- ▶ You can pick out the eigenvectors geometrically if you have a picture of the associated transformation.

Then we talked about characteristic polynomials:

- ▶ We learned to find the eigenvalues of a matrix by computing the roots of the characteristic polynomial $p(\lambda) = \det(A - \lambda I)$.
- ▶ For a 2×2 matrix A , the characteristic polynomial is just

$$p(\lambda) = \lambda^2 - \text{Tr}(A)\lambda + \det(A).$$

- ▶ The **algebraic multiplicity** of an eigenvalue is its multiplicity as a root of the characteristic polynomial.