

**MATH 218D**  
**MIDTERM EXAMINATION 1**

<b>Name</b>		<b>Duke Email</b>	
-------------	--	-------------------	--

Please **read all instructions** carefully before beginning.


- You have 180 minutes to complete this exam and upload your work. The exam itself is meant to take 75 minutes to complete, so hopefully you will have enough time.
- For full credit you must **show your work** so that your reasoning is clear.
- If you need clarification or think you've found a typo, ask a **private question on Piazza**. We'll be monitoring it.
- If you have time, go back and check your work.
- You may use **your class notes** (not the ones from the website) and the **interactive row reducer** during this exam. You may use a **calculator** for doing arithmetic. All other materials and aids are strictly prohibited.
- You are not allowed to receive **outside help** during this exam. Consulting with someone else is considered cheating; suspected instances will result in immediate referral to the Office of Student Conduct.
- Be sure to **tag your answers** on Gradescope, and **use a scanning app**.
- Good luck!

**Complete when starting the exam:** I will neither give nor receive aid on this exam.

Signed: \_\_\_\_\_ Time: \_\_\_\_\_

**Complete after finishing the exam:** I have neither given nor received aid on this exam.

Signed: \_\_\_\_\_ Time: \_\_\_\_\_



## Problem 1.

[20 points]

Consider

$$A = \begin{pmatrix} 0 & 1 & -1 & 0 \\ -2 & -1 & -1 & 2 \\ 2 & 3 & 5 & 4 \\ 6 & 3 & -3 & 0 \end{pmatrix} \quad b = \begin{pmatrix} -2 \\ -8 \\ 4 \\ 0 \end{pmatrix}.$$

- a) Carry out Gaussian reduction with maximal partial pivoting to find a  $PA = LU$  decomposition. You should obtain

$$U = \begin{pmatrix} 6 & 3 & -3 & 0 \\ 0 & 2 & 6 & 4 \\ 0 & 0 & -4 & -2 \\ 0 & 0 & 0 & 3 \end{pmatrix}.$$

Be sure to specify what  $L$  and  $P$  are. Please write the row operations you performed.

- b) Solve the equations  $Ly = Pb$  and  $Ux = y$  to find a solution of  $Ax = b$ .
- c) Briefly explain why step b) is faster than solving  $Ax = b$  using Gaussian elimination on the augmented matrix  $(A \mid b)$ , once you have a  $PA = LU$  decomposition.

## Problem 2.

[15 points]

a) Compute the inverse of  $\begin{pmatrix} 1 & -2 & 3 \\ -2 & 6 & -5 \\ 2 & 3 & 9 \end{pmatrix}$ .

Be sure to write out any row operations you perform.

b) For which value(s) of  $k$  is  $\begin{pmatrix} 1 & -2 & 3 \\ -2 & 6 & k \\ 2 & 3 & 9 \end{pmatrix}$  not invertible?

c) Suppose that  $A$  is a  $3 \times 3$  matrix whose third column is in the span of the first two. Briefly explain why  $A$  is not invertible.

[Hint: can it have full row rank?]

### Problem 3.

[25 points]

Consider

$$A = \begin{pmatrix} 1 & 3 & -2 & 0 \\ -2 & -6 & 6 & -2 \\ 2 & 6 & 3 & -7 \end{pmatrix} \quad b = \begin{pmatrix} 2 \\ -8 \\ -10 \end{pmatrix}.$$


- a) Find the parametric vector form of the solution set of  $Ax = b$ . Be sure to write out any row operations you perform.
- b) Write down two different solutions of  $Ax = b$ . (Your answer will be two vectors with numbers in them.)
- c) Does  $Ax = b'$  have a solution for every vector  $b' \in \mathbf{R}^3$ ? Why or why not?
- d) Find a spanning set for  $\text{Nul}(A)$ .
- e) Let  $v = (-1, 1, 1, 1)$ . Check that  $v \in \text{Nul}(A)$ , and write  $v$  as a linear combination of the spanning vectors you obtained in **d**.

[**Hint:** what values do the free variables have to take?]

### Problem 4.


[20 points]

For a certain  $2 \times 2$  matrix  $A$ , the solution set of  $Ax = \begin{pmatrix} 1 \\ 1 \end{pmatrix}$  is drawn. Copy this grid onto your paper, and draw **a)** the solution set of  $Ax = 0$  and **b)** the solution set of  $Ax = \begin{pmatrix} -1 \\ -1 \end{pmatrix}$ . Be sure to label which is which.



c) What is the rank of  $A$ ?

d) Draw the column space of  $A$  in a grid like below. Be precise!



## Problem 5.

[15 points]

Find examples of matrices with the following properties. If no such matrix exists, write “no way, man,” or use your favorite colloquialism instead.

- a) A matrix  $A$ , in RREF, such that  $Ax = b$  has at least one solution for every  $b$ , but  $A$  does not have full column rank.
- b) A  $3 \times 5$  matrix of rank 4, in RREF.
- c) A  $2 \times 2$  matrix  $A$  such that the solution set of  $Ax = \begin{pmatrix} 3 \\ 4 \end{pmatrix}$  is a line, and  $Ax = \begin{pmatrix} 1 \\ 1 \end{pmatrix}$  has no solutions.
- d) A  $3 \times 3$  matrix  $A$  with no zero entries, such that  $\text{Col}(A)$  is a plane.
- e) A  $4 \times 4$  matrix  $A$  with full row rank such that  $A(1, 2, -1, 1) = 0$ .

## Problem 6.

[18 points]

Which of the following are subspaces of  $\mathbb{R}^4$ ? If not, why?

a)  $\text{Span} \left\{ \begin{pmatrix} 1 \\ 0 \\ 0 \\ 2 \end{pmatrix}, \begin{pmatrix} 0 \\ -2 \\ -1 \\ 0 \end{pmatrix}, \begin{pmatrix} 1 \\ -2 \\ -1 \\ 2 \end{pmatrix} \right\}$

b)  $\text{Nul} \begin{pmatrix} 2 & -1 & 3 \\ 0 & 0 & 4 \\ 6 & -4 & 2 \\ -9 & 3 & 4 \end{pmatrix}$

c)  $\text{Col} \begin{pmatrix} 2 & -1 & 3 \\ 0 & 0 & 4 \\ 6 & -4 & 2 \\ -9 & 3 & 4 \end{pmatrix}$

d)  $\left\{ \begin{pmatrix} 0 \\ 0 \\ 0 \\ 0 \end{pmatrix} \right\}$

e)  $\{\}$

f)  $V = \left\{ \text{all vectors } \begin{pmatrix} x \\ y \\ z \\ w \end{pmatrix} \text{ in } \mathbb{R}^4 \text{ such that } xy = zw \right\}$